

Multiple Output

1*DC + 1*USB + 1*PoE outputs support powering up 3+ devices





High-capacity Battery

10000mAh high quality battery provides longer backup hours

AC to DC 0 ms Transfer

Keep your devices stay working when UPS shift from AC mode to battery mode





Honeycomb Ventilation

Evenly distributing operational heat faster, ensuring long-term stability





MARSRIVA

Wall-mount slots

Convenient Wall-mounting Design

With wall-mount slots on the back, you can mount your KP2 on a wall easily





Stay Safe From Fire


V-0 flame retardant product housing secures you and your property




Broad Compatibility

With 5V/9V/12V DC and 24V passive PoE output, KP2 is compatible with most of the digital devices


Typical topology 1: Powering up 1*PoE device + 1*DC device



Typical topology 2: Powering up 1*DC device



Typical topology 3: Powering up 2*DC devices



Specification

Name	Smart Mini DC UPS
Model	KP2
Battery Capacity	10000mAh (2*5000mAh)/3.7V 37Wh
Input	100~240VAC / 50-60Hz
Output	PoE 24V / 0.5A (+4,5pins; -7,8pins) DC 5V / 9V / 12V (Selectable) / 1.5A USB 5V / 2.4A * 1 ports
Total Output	18W (Max.)
Unit Dimension	170mm * 104mm * 30.8mm
Net Weight	360g

Product specifications are subject to change without notice.